CONTENTS OF VOLUME 9

Agnihotri, V. P. Studies on Aspergilli. X. Utilization of polysaccharides, 703.

Alexander, M. See Mitchell, R., 169.

Allen, O. N. See Roslycky, E. B., 199, 709.

Allen, W. E. and McVeigh, I. Growth of penicillin-resistant and penicillin-sensitive strains of Staphylococcus aureus, 179.

Anderson, G. W. See Comer, A. G., 321. Anderson, L. E. See Coffey, G. L., 665.

Antia, N. J. A microbiological assay for biotin in seawater, 403.

Armstrong, R. E. See Yarosh, W., 417 Aronson, J. N. See Perkins, J. P., 791.

Bakerspigel, A. Chlamydospore production by new strains of Candida albicans, 909.

Balasubramanian, A. See Rangaswami, G., 719.

Baratawidjaja, R. K., Hewson, A., and Labzoffsky, N. A. Application of immunofluorescence in the diagnosis of influenza from throat washings, 563.

Fluorescent antibody staining in the serodiagnosis of trichinosis, 625.

Barta, G. Preliminary observations on the lysis of Bordetella pertussis by lysozyme and urea Barta, G. Freliminary observations on the lysis of Bordetella pertussis by lysozyme and and the liberation of protective antigen in soluble form, 629.

Bather, R. See Webb, S. J., 87.

Bayley, S. T. See Kushner, D. J., 53.

Beaulieu, M. Some factors affecting the yield of the monocytosis-producing agent, 473.

Best, A. See Rhodes, M., 799.

Birch-Andersen, A. See Murray, R. G. E., 393.

Blakley, E. B. Effect of all the progress suphonate on yearst metabolism, 117.

Blakley, E. R. Effect of alkyl benzene sulphonate on yeast metabolism, 117.

Boring, J., Kushner, D. J., and Gibbons, N. E. Specificity of the salt requirement of Halobacterium cutirubrum, 143.
 Bradley, R. H. E. Some ways in which a paraffin oil impedes aphid transmission of potato virus Y, 369.
 Carter, G. R. and Greig, A. S. The recovery of diphtheroids from L-type organisms contaminating times cultures. 317

minating tissue cultures, 317.

Chadwick, P. Rapid screening test for Bacillus anthracis, 734.

Rapid identification of Pasteurella pestis by microscopical observation of bacterio-

phage lysis, 829.

Chagnon, A. See Dubreuil, R., 359.

Chambers, A. K. See McDonald, I. J., 303, 871.

Cham, E. C. S., Katznelson, H., and Rouatt, J. W. The influence of soil and root extracts on the associative growth of selected soil bacteria, 187.

Chan, K. K. W. See Plagemann, P. G. W., 75.

Child, J. J., Simpson, F. J., and Westlake, D. W. S. Degradation of rutin by Aspergillus

flavus. Production, purification, and characterization of an esterase, 653

Coffey, G. L., Anderson, L. E., Douros, J. D., Erlandson, A. L., Jr., Fisher, M. W., Hans, R. J., Pittillo, R. F., Vogler, D. K., Weston, K. S., and Ehrlich, J. Chalcomycin, a new antibiotic: biological studies, 665.

Collins, A. M. and Roy, T. E. Transduction of chloramphenicol and novobiocin resistance in staphylococci, 541.

Comer, A. G., Anderson, G. W., and Garrard, E. H. Gamma irradiation of Salmonella

species in frozen whole egg, 321.

Crocken, B. and Nyc, J. F. Utilization of L-α-glycerophosphorylcholine by a lecithin-deficient strain of Neurospora crassa, 689.

Dawson, P. S. S. A continuous-flow culture apparatus. The cyclone column unit, 671.
 Day, E. A. See Seitz, E. W., 431.
 Demain, A. L. On the utilization of p-α-aminoadipic acid by lysineless mutants of ascomy-

cetous fungi, 111. Dempster, G. See Grodums, E. I., 891.

Diena, B. B. and Tanner, C. E. Purification studies on the toxin-inactivating substance "Noxiversin", 843.

Nonversin', 543.

Diena, B. B., Wallace, R., and Greenberg, L. A flocculation test for salmonella antibodies using sensitized bentonite particles, 221.

Preparation of typhoid somatic antigen vaccine. IV. Methods of lysing typhoid properties of typhoid vaccine, 279.

organisms and the use of bentonite in the preparation of typhoid vaccine, 279.

Douros, J. D. See Coffey, G. L., 665.

Dubreuil, R., Chagnon, A. et Pavilanis, V. Résistance comparée des virus poliomyélitique, herpétique, spumeux et SV-40 à l'acidité, 359.

Dundas, I. D., Srinivasan, V. R., and Halvorson, H. O. A chemically defined medium

for Halobacterium salinarium strain 1, 619.

Ehrlich, J. See Coffey, G. L., 665.

Eisenberg, R. C. and Evans, J. B. Energy and nitrogen requirements of Micrococcus roseus, 633.

633.
Elliker, P. R. See Seitz, E. W., 431.
Eren, J. See Henis, Y., 902.
Erlandson, A. L., Jr. See Coffey, G. L., 665.
Evans, J. B. See Eisenberg, R. C., 633.
Faber, J. E. See Koontz, F. P., 499.
Farkas-Himsley, H. and Seyfried, P. L. Lethal biosynthesis of a bacteriocin, vibriocin, by V. comma. I. Conditions affecting its production and detection, 329.

Lethal biosynthesis of a bacteriocin, vibriocin, by V. comma. II. Vibriocin production

and sensitivity in relation to redox potentials and streptomycin resistance, 339.

Farley, M. A. and Lichstein, H. C. Glucose inhibition of aspartase synthesis by Aerobacter

aerogenes, 835.

Fedoroff, S. See Webb., S. J., 155.

Ferrer, E. B., Stapert, E. M., and Sokolski, W. T. A medium for improved recovery of bacteria from water, 420.

Fisher, M. W. See Coffey, G. L., 665.
Fleming, H. P. See Pelcher, E. A., 251.
Fluegel, W. A shelf-type gradient incubator, 859.
Fox, D. L. and Lewin, R. A. A preliminary study of the carotenoids of some flexibacteria, 753.

Francis, L. See Lang, D., 849.

Garcia-Acha, I. and Villanueva, J. R. The use of Streptomyces enzyme in preparation of protoplasts from mold spores, 139. rard, E. H. See Comer, A. G., 321.

Garrard, E. H. See Comer, A. G., 321.
Gascón, S. and Villanueva, J. R. A comparison of the lytic activities of actinomycetes on cell walls of yeast, 651. Gibbins, L. N. and Simpson, F. J. The purification and properties of D-allose-6-kinase from

Aerobacter aerogenes, 769.

Gibbons, N. E. See Boring, J., 143; Sierra, G., 491.
Gillespie, D. C. Cell wall carbohydrates of Arthrobacter globiformis, 509.

Composition of cell wall mucopeptide from Arthrobacter globiformis, 515.

Gopalkrishnan, K. S. See Narasimhachari, N., 134.

Gordon, R. E. and Rynearson, T. K. Variation in pigmentation by a strain of Mycobacterium smegmatis, 737.

Greenberg, L. See Diena, B. B., 221, 279; Shimizu, T., 93, 613.
Gregory, K. F. See Plagemann, P. G. W., 75.
Greig, A. S. See Carter, G. R., 317.
Griffiths, B. W. See Shimizu, T., 93.
Grodums, E. I. and Dempster, G. Brown fat lesions and regeneration in experimental Coxsackie B-1 virus infection, and after localized freezing, 891.

Habeeb, A. F. S. A. A comparative study of the immune sera of animals immunized with Clostridium perfringens types C and D, 863.

Halvorson, H. O. See Dundas, I. D., 619; Holmes, P. K., 904.

Hans, R. J. See Coffey, G. L., 665.

Haskins, R. J. See Coney, G. L., 603.

Haskins, R. H. Morphology, nutrition, and host range of a species of *Pythium*, 451.

See also Narasimhachari, N., 134.

Henderson, V. E. See Rouatt, J. W., 227.

Henis, Y. See Kletter, B., 577.

Henis, Y. and Eren, J. Preliminary studies on the microflora of a highly saline soil, 902.

Henis, Y. and Kletter, B. The effect of some antimicrobial agents on *Myxococcus* species, 646.

Hennessy, D. J. See Hoffman, J., 648. Hewson, A. See Baratawidjaja, R. K., 563, 625. Hodges, R. W. See Webb, S. J., 87. Hoffman, J. and Hennessy, D. J. Staphylococcus toxin-antitoxin titration using in vivo paralysis and in vitro hemolysis as indicators, 648.

Holmes, P. K. and Halvorson, H. O. The inactivation and reactivation of salt-requiring enzymes from an extreme obligate halophile, 904.

Hunter, N. W. Evidence of phosphorylase activity in Stylonychia pustulata, 459.

Isa, J. M. See Savage, A., 425.

Jeanes, A. See Orentas, D. G., 427.

Johnson, R. M. and Larkin, J. M. An apparatus for continuous synchronization of growing cultures, 907.

Jordan, D. C. Effect of chalcomycin on protein synthesis by Staphylococcus aureus, 129.

Katznelson, H. See Chan, E. C. S., 187; Rouatt, J. W., 227.
Kaufman, D. D., Williams, L. E., and Sumner, C. B. Effect of plating medium and incubation temperature on growth of fungi in soil-dilution plates, 741.

Kenny, C. P. and Lees, H. An unusual growth medium for HeLa cells, 133.

Kletter, B. See Henis, Y., 646.

Kletter, B. and Henis, Y. Comparative studies on the growth of myxobacteria on bacterial suspensions, 577

Koontz, F. P. and Faber, J. E. A taxonomic study of some Gram-negative, non-fermenting bacteria, 499.
Kushner, D. J. See Boring, J., 143.
Kushner, D. J. and Bayley, S. T. The effect of pH on surface structure and morphology of the extreme halophile, Halobacterium cutirubrum, 53.

Labzoffsky, N. A. See Baratawidjaja, R. K., 563, 625.
 Ladd, Sister F. C. Comparative evaluation of culture tube closures, 727.
 Lang, D., Francis, L., and McCallum, L. Observations on an unknown organism recovered from recurrent oral lesions in man, 849.
 Laskin J. M. See B. M. 907.

 Larkin, J. M. See Johnson, R. M., 907.
 LeBlanc, N. N. and Musgrave, A. J. Some microbiological studies of two species of aphids, Aphis fabae Scop. and Macrosiphum pisi (Harris) (Hemiptera, Homoptera: Aphididae), 65.
 Lee, K.-H. and Yuzuriha, Y. O. A fortified medium for Lactobacillus acidophilus strain R-26 in the bioassay of deoxyribonucleic acid, 287.

Lees, H. See Kenny, C. P., 133.

Lewin, R. A. See Fox, D. L., 753.

Lichstein, H. C. See Farley, M. A., 835.

Lindeberg, G. and Lode, A. Release of ultraviolet-absorbing material from Escherichia coli

at subzero temperatures, 523. Lindegren, C. C. See Pittman, D., 103.

Lode, A. See Lindeberg, G., 523.

Louie, D. D. See Perkins, J. P., 791.

McBride, M. E. Flagellar production and amino acid composition in chloramphenicolresistant and -sensitive bacteria, 731.

McCoy, E. See Roslycky, E. B., 199, 709.

McCurdy, H. D., Jr. A method for the isolation of myxobacteria in pure culture, 282.
 McDonald, I. J. Methionine requirements for growth of a species of Micrococcus, 415.
 McDonald, I. J. and Chambers, A. K. Some characteristics of proteinases of an obligately psychrophilic red-pigmented bacterium and of Serratia marcescens, 809.
 McDonald, I. J., Quadling, C., and Chambers, A. K. Proteolytic activity of some cold-tolerant bacteria from Arctic sediments, 303.

MacDonald, J. C. Biosynthesis of pyocyanine, 809.

Maciejowska, Z. and Williams, E. B. The effect of cellulose additions and moisture level on mycoflora of soil, 555.

McKeen, C. D. See Wensley, R. N., 237.

McLaren, A. D. and Skujins, J. J. Nitrification by Nitrobacter agilis on surfaces and in

McVeigh, I. See Allen, W. E., 179.

Marsh, P. B. See Taylor, E. E., 353.

Mendoza, C. G. and Villanueva, J. R. Preparation of cell walls of yeast, 141.

The isolation of cytoplasmic membranes from yeast protoplasts, 900.

Meyer, G. H., Morrow, M. B., and Wyss, O. Viable organisms from feces and foodstuffs from early Antarctic expeditions, 163.

Miller, J. J. The metabolism of yeast sporulation. V. Stimulation and inhibition of sporulation and country interest compounds, 250.

lation and growth by nitrogen compounds, 259.

Mitchell, R. and Alexander, M. Lysis of soil fungi by bacteria, 169.

Morris, O. N. A nuclear polyhedrosis of Orgyia pseudotsugata: causative agent and histopathology, 899. Morrow, M. B. See Meyer, G. H., 163.

Murray, E. D. and Sanwal, B. D. An immunological enquiry into the identity of assimilatory and dissimilatory nitrate reductase from Escherichia coli, 781.

Murray, R. G. E. On the cell wall structure of Spirillum serpens, 381.

Role of superficial structures in the characteristic morphology of Lampropedia hyalina, 593. Murray, R. G. E. and Birch-Andersen, A. Specialized structure in the region of the flagella

tuft in Spirillum serpens, 393. Musgrave, A. J. See LeBlanc, N. N., 65. Nadakavukaren, M. J. Fine structure of microsclerotia of Verticillium albo-atrum Reinke & Berth., 411

Nandy, S. C. and Sen, S. N. Effect of environment on growth and carotenogenesis of Sarcina litoralis, 601.

Narasimhachari, N. See Simpson, F. J., 15.

Narasimhachari, N., Gopalkrishnan, K. S., Haskins, R. H., and Vining, L. C. The production of the antibiotic atrovenetin by a strain of *Penicillium herquei* Bainier and Sartory, 134.

Nyc, J. F. See Crocken, B., 689.

Ordal, Z. J. See Pelcher, E. A., 251.

Orentas, D. G., Sloneker, J. H., and Jeanes, A. Pyruvic acid content and constituent

sugars of exocellular polysaccharides from different species of the genus Xanthomonas,

Parker, R. C. See Sabina, L. R., 567.

Pavilanis, V. See Dubreuil, R., 359.

Payne, W. J. See Rhodes, M., 799; Williams, J., 549.

Pelcher, E. A., Fleming, H. P., and Ordal, Z. J. Some characteristics of spores of Bacillus cereus produced by a replacement technique, 251.

Perkins, J. P., Louie, D. D., and Aronson, J. N. Effects of some amino acid analogues on Bacillus cereus sportulation using static and shaken cultures. 791.

Peterson, E. A. See Rouatt, J. W., 227.

Piening, L. J. Physiological and nutritional studies of a conidial strain of *Drechslera teres* (Sacc.) Shoemaker and a mycelial variant, 479.

Pittillo, R. F. See Coffey, G. L., 665.

Pittman, D., Shult, E., Roshanmanesh, A., and Lindegren, C. C. The procurement of biochemical mutants of Saccharomyces by the synergistic effect of ultraviolet radiation.

biochemical mutants of Saccharomyces by the synergistic effect of ultraviolet radiation and 2,6-diamino purine, 103.

Plagemann, P. G. W., Gregory, K. F., Swim, H. E., and Chan, K. K. W. Plasma lactic

dehydrogenase elevating agent of mice: Distribution in tissues and effect on lactic de-

hydrogenase isozyme patterns, 75.

Pritchard, W. L. See Read, R. B., Jr., 879.

Quadling, C. See McDonald, I. J., 303; Sutton, M. D., 821.

Ramadan, F. M. and Sabir, M. S. Differential studies of fecal streptococci from farm

animals, 443.

Rangaswami, G. and Balasubramanian, A. Studies on the rhizosphere microflora of sorghum in relation to hydrocyanic acid content of roots, 719.

Read, R. B., Jr. and Pritchard, W. L. Lysogeny among the enterotoxigenic staphylococci,

879. Rhodes, M., Best, A., and Payne, W. J. Electron donors and cofactors for denitrification

by Pseudomonas perfectomarinus, 799.

Robinson, J. and Thatcher, F. S. Studies with staphylococcal toxins. VII. Separation of a proteolytic enzyme from alpha hemolysin, 697.

Roshanmanesh, A. See Pittman, D., 103.
Roslycky, E. B., Allen, O. N., and McCoy, E. Physicochemical properties of phages for Agrobacterium radiobacter, 199.

Serological properties of phages of Agrobacterium radiobacter, 709.

Rouatt, J. W. See Chan, E. C. S., 187.

Rouatt, J. W., Peterson, E. A., Katznelson, H., and Henderson, V. E. Microorganisms

in the root zone in relation to temperature, 227.

Roy, T. E. See Collins, A. M., 541.

Rynearson, T. K. See Gordon, R. E., 737.

Ryu, E. A simple method for staining Leptospira, 423.

Sabina, L. R. and Parker, R. C. Studies of infectious bovine rhinotracheitis virus. I. Plaque

Sabina, L. R. and Parker, R. C. Studies of infectious bovine rhinotracheitis virus. I. Plaque assay and some characteristics in bovine kidney cells, 567.
Sabir, M. S. See Ramadan, F. M., 443.
Sandine, W. E. See Seitz, E. W., 431.
Sanwal, B. D. See Murray, E. D., 781, Zarowny, D. P., 531.
Savage, A. and Isa, J. M. Observations on Blastomyces dermalitidis in tissue sections, 425.
Seitz, E. W., Sandine, W. E., Elliker, P. R., and Day, E. A. Studies on diacetyl biosynthesis by Streptococcus diacetilactis, 431.
Sen, S. N. See Nandy, S. C., 601.
Seyfried, P. L. See Farkas-Himsley, H., 329, 339.
Sguros, P. L. and Simms, J. Role of marine fungi in the biochemistry of the oceans. III. Growth factor requirements of the ascomycete Halosphaeria mediosetigera, 585.
Shimizu, T. and Greenberg, L. Comparative studies on the colonial variants of the Smith

Shimizu, T. and Greenberg, L. Comparative studies on the colonial variants of the Smith

strain of Staphylococcus aureus, 613.

Shimizu, T., Griffiths, B. W., and Greenberg, L. Serological and immunological studies with staphylococci using the soft agar technique, 93. Shult, E. See Pittman, D., 103.

Sierra, G. An esterase in Bacillus subtilis spore and its release by ballistic disintegration, 643.
 Sierra, G. and Gibbons, N. E. Sodium requirement of poly-β-hydroxybutyric acid depolymerase of Micrococcus halodenitrificans, 491.
 Simms, J. See Sguros, P. L., 585.
 Simpson, F. J. See Child, J. J., 653; Gibbins, L. N., 769.
 Simpson, F. J., Narasimhachari, N., and Westlake, D. W. S. Degradation of rutin by Aspersillus Rayes. The carbon meanyide producing system.

Aspergillus flavus. The carbon monoxide producing system, 15. Skujins, J. J. See McLaren, A. D., 729.

Skujins, J. J. See McLaren, A. D., 129.
Sloneker, J. H. See Orentas, D. G., 427.
Smith, J. E. Glutamic dehydrogenase from uredospores of *Puccinia helianthi* Schw., 345.
Sokolski, W. T. See Ferrer, E. B., 420.
Srinivasan, V. R. See Du. das, I. D., 619.
Stapert, E. M. See Ferrer, E. B., 420.
Stevenson, I. L. Some observations on the so-called 'cystites' of the genus *Arthrobacter*, 467. Stross, R. G. Nitrate preference in haematococcus as controlled by strain, age of inoculum, and pH of the medium, 33.

and pH of the medium, 33.

Sumner, C. B. See Kaufman, D. D., 741.

Sutton, M. D. and Quadling, C. Lysogeny in a strain of Xanthomonas campestris, 821.

Swim, H. E. See Plagemann, P. G. W., 75.

Taber, W. A. See Vining, L. C., 291.

Taber, W. A. and Vining, L. C. Physiology of alkaloid production by Claviceps purpurea

(Fr.) Tul. Correlation with changes in mycelial polyol, carbohydrate, lipid, and phosephorus-containing compounds, 1.
Studies on *Isaria cretacea*: antibiotic factors produced by strain B, 136.

Studies on Isaria cretacea: antibiotic factors produced by strain B, 136.

Tanner, C. E. See Diena, B. B., 843.

Taylor, E. E. and Marsh, P. B. Cellulose decomposition by Pythium, 353.

Thatcher, F. S. See Robinson, I., 697.

Todd, R. L. See Williams, J., 549.

Villanueva, J. R. See Garcia-Acha, I., 139; Gascón, S., 651; Mendoza, C. G., 141, 900.

Vining, L. C. See Narasimhachari, N., 134; Taber, W. A., 1, 136.

Vining, L. C. and Taber, W. A. Studies on the biosynthesis of ergot alkaloids, 291.

Vogler, D. K. See Coffey, G. L., 665.

Wallace, R. See Diena, B. B., 221, 279.

Wardlaw, A. C. The complement-dependent bacteriolytic activity of normal human serum.

II. Cell wall composition of sensitive and resistant strains, 41.

II. Cell wall composition of sensitive and resistant strains, 41.

Webb, S. J., Bather, R., and Hodges, R. W. The effect of relative humidity and inositol on air-borne viruses, 87.

Webb, S. J. and Fedoroff, S. Natural cytotoxic antibodies in human blood sera which react with mammalian cells and bacteria. II. Effect of heated serum on microorganisms, 155. Wensley, R. N. and McKeen, C. D. Populations of Fusarium oxysporum f. melonis and

their relation to the wilt potential of two soils, 237.

Westlake, D. W. S. Microbiological degradation of quercitrin, 211.
See also Child, J. J., 653. Simpson, F. J., 15.

Weston, K. S. See Coffey, G. L., 665.

Wiley, B. B. The incidence of encapsulated staphylococci and anticapsular antibodies in

normal humans, 27.

Williams, E. B. See Maciejowska, Z., 555.

Williams, J., Todd, R. L., and Payne, W. J. Isocitrate lyase in an alginoi, ic bacterium,

Williams, L. E. See Kaufman, D. D., 741.

Wyss, O. See Meyer, G. H., 163. Yarosh, W. and Armstrong, R. E. A simple plaque assay for measles virus in monolayers

of the FL cell line, 417.

Yuzuriha, Y. O. See Lee, K.-H., 287.

Zarowny, D. P. and Sanwal, B. D. Characterization of a nicotinamide adenine dinucleotide specific nitrite reductase from Escherichia coli, strain K12, 531.